



Company

Fanti is Group high quality standard production places the company as one of the leaders in the "General Line" metal packaging.

The wide range of products can satisfy the various needs of our customers and is suitable for the International regulations.

In partnership with ICM the group can supply metal cans with a capacity up to 30 litres.


Fanti is Group not only produces metal cans but also supplies its customers with quality and personalisation carefully checking all its products.






The service given to our customers is carried out with high technology of production and through the right organisation of raw materials and final products stocks.

The advanced technology, the wide range of products, the high quality and the speedness in delivery make of Fanti is Group a winning choice.





Cylindrical putty cans




				Cylindric	cal putty c	cans		
A	→ B]	DC A		External curled edge	Ring	High panel lid	Low panel lid	Cartridge hole 42 mm Din
Α	В	C	D					_
83*	187	750*	925					x
	70	250	442	x		x	x	
99	92	500	581	x		x	x	
	188	1000	1350	x		x	x	x
	248	2000	1813	x		x	x	x
	55	250	425	x	X		x	
	70	375	586	x	X		x	
117	81	500	704	x	x		x	
	108	750	994	x	х		x	
	123	1000	1156	x	x		x	
	70	1000	1028	x		x	x	
	80	1100	1217	x		x	x	
155	90	1180	1405	x		x	x	
	105	1500	1688	x		x	x	
	138	2000	2311	x		x	x	
	170	2500	2915	x		x	x	
161	312	5000	6351					X

* cartridge weight 1,5 kg



			Cylindri	cal me ⁻	tal cans	for wate	er and so	olvent bo			
		D A C A		Non RL ring	RL ring	2 T ring for solvent base	3 T ring for water base	High panel lid	Spherical low panel lid german version	Metal handle	Stackability
Α	В	С	D	_		ŝ	-	Ξ	ge G		.,
	45	80	96	X	X			x	3		
60	62	125	144	x	x			x			
	70	125	167	x	x			x			
-	107	250	271	x	x			x	7252		
	64 80	125 250	228 297	×	X	-		x	x		
74	104	375	400	x	x			x	x		
	130	500	512	x	x			x	x		
-	74	250	338	x	-		-	x	x		
1.000	87	375	409	x		1	1	x	x		
83	115	500	560	x				x	x		
	165	750	831	x			l	x	x		
	209	1000	1069	x				x	x		
	230	1200	1182	x	642.5			x	x		
90	70 84	250 375	372 461	x	X	<u>n</u> 17	· · · · · · · · · · · · · · · · · · ·	x			
50	104	500	588	x	x		-	x			
1044	69	375	409	x	<u> </u>	-		-	x		
96	120	750	778	x					x		
1	60	250	366	x	x	9 Y		x	x		x
	70	375	443	x	x		1	x	x		x
	82	375	535	x	x			x	x		x
	92	500	612	x	x	-		x	x		x
	119	750	820	x	x			x	x		x
99	149	1000	1051	x	X			x	x		X
	165	1000	1174	x	X	520		x	x		X
	50 60	250 250	350 443	2	X	X	X	x	x		
	70	375	537		x	x	x	x	x		_
	80	500	630	1	x	x	x	x	x		
	84	500	667		x	x	x	x	x		
	90	500	723		x	x	x	x	x		
	110	750	910		x	x	x	x	x		
	115	750	956		x	x	x	x	×		
100	122	750	1022	-	x	x	x	x	x		
109	132 137	1000	1115		X	X	x	x	x		
	143	1000	1162 1218		x	x	x	x	x		
	154	1200	1320		x	x	x	x	x		
	230	2000	2030		x	x	x	x	x		
	65	750	892	x	x			x	x	x	x
	70	750	964	x	x			x	x	x	x
	80	750	1169	x	x	-	-	x	x	x	x
450	116	1800	1830	x	x			x	x	x	x
153	138	2000	2233	x	X			x	x	x	X
	157 173	2500 2500	2583 2877	×	X	-		×	X	x	x
	1/3	2500	3024	x	X X			x	x	x	x
	198	3000	3336	x	x		-	x	x	x	x
	150	2500	2940	-	-		x	x	1	x	x
	160	2500	3153				x	x		x	x
165	180	3000	3582				x	x		x	x
105	190	3500	3795				x	x		x	x
	205	4000	4116				x	x		x	x
	230	4000	4650				x	x		x	x
172	202	4000	4210				x	x		x	X
	262	5000	5500				x	X		x	X



Cans for double components



Cans with pressure lids





Cylindrical metal cans "3 pieces"

		Cylindric	al meta	I cans "3 p	oieces"		
A	A B B Height min	D A C A Height max	Plug lid	Easy open closure	Peel off closure	Plastic cap "saving flavour"	Ring & latch lid
73	50	180	x	x	x	x	
83	70	220	2	x	x	x	
86	70	220	x	X	x	x	
99	60	173	x	x	x	x	x
117	108	250	x				
153	70	260		x	x	x	

Square metal cans and penny lever



	Squ	lare me	etal cans	s and pe	enny lever	
-	A B	D A C A	1		Lever lid	Penny
A	A1	B	C	D		lever
95	95	110	750	862	x	
55	125	125	750	996	x	
		80	500	630		x
109		110	750	910		x
109		122	750	1022		x
		132	1000	1115		×

Cans and drums with hole





		Met	al car	ns and	dru	ums fo	r s	olvent	, K	orimer,	С	atalyst	ar	nd pair	nt	remov	al		
	A B			Hole for plastic cap diam. 23,7 mm DIN	UN	Hole for plastic cap diam. 31,8 mm DIN	UN	Hole for plastic cap diam. 42,3 mm DIN	UN	Hole for plastic cap diam. 56,9 mm DIN	UN	Hole for plastic cap diam. 23,7 mm REL	UN	Hole for plastic cap diam. 31,8 mm REL	UN	Hole for plastic cap diam. 42,3 mm REL	UN	Metal screw closure diam. 40 mm	Metal screw closure diam. 80 mm
A	в	c	D																
60	70	125 250	181 277	x							-		-		-			-	
74	80	250	318	x							F				F				
	130 75	500 250	533 405	x	x			x			-	x	x			x		x	
	115	500	645	x	X			x	x			×	x			x	x	x	
83	165 209	750	893 1131	x	X			x	x		-	x	x			x	x	x	
	230	1200	1246	x				x				x				x		x	
	60 70	250 375	462 492	x	x	×	×	x	×		-		-	x	-	X	x	-	×
	92	500	708	x	X	x	x	x	x		\vdash		+	x	x	x	x		x
99	119	750	916	x	x	x	x	x	x					x	x	x	x		x
-	149	1000	1147	x	x	×	×	x	x		-		-	x	X		x		x
_	70	375	569	*		*		×	-		+		-	×	-	×	×		×
l	80	500	690					x		x									x
109	110	750	970			8		x		x							<u> </u>	1	x
	132	1000	1172 1381		-	-		X		X	-		-	-	-				x
	230	2000	2090			2		x		x						2			x
	160	2500	3272					x											
	180	3000	3699					x											
165	190 205	3500 4000	3912 4233				-	x			-		-		-				
	205	4000	4233					x			1							1	
171	255	5000	5695					x		x						1			
172	202	4000	4210					x	x		x								
	262 286	5000	5500 11650					×	x	×	x		-		-				
240	340	13000	13900		\vdash			x	X	x	x		-						
	220	10000	12100					x	x	x	x								
	245	12500	13600			1		x	x	x	x			1				1	
286	302	16000	17500		\vdash			x	x	x	x		-	-				-	
ŀ	392 442	20000 23000	22500 25600			-		x	x	x	x		-	-				-	
ŀ	460	25000	26700					x	x	x	x		1						
	250	13000	15500					x	x	x	x								
1000	310	17000	19500					x	x	x	x								
300	345	20000	22000					x	x	x	x								
-	400 420	25000	26000 27000					x	x	x	x		-		-		3	2	




Conical cans









		C	conica	l cans diam	n. 1 <mark>80 - Le</mark> v	er l i	id, crimp	lid	and ring	y&lc	atch lid			
A	► B ↓			Lever lid	Crimp lid	UN	Ring&latch lid	UN	Hole for plastic closure diam 42,3 mm DIN	UN	Hole for plastic closure diam 56,9 mm DIN	UN	Special ring&latch closure	U
A	В	C	D			-			6			_		-
	141	2500	2970	x							-	-		
	149	2500	3190		x	x	x	x	x		x		x	X
	158	2500	3410	x	2				2					
	170	3000	3700		x	X	x	x	x		x		x	×
180	208	4000	4600		x	x	x	x	x		×		x	X
100	233	5000	5240	č i i i i i i i i i i i i i i i i i i i	x	x	x	x	x		x		x	X
	235	5000	5300	x										
	248	5000	5610		x	X	x	x	x		x		x	X
	255	5000	5820	x										
	272	6000	6340		x		x		x		x		x	17

• A			s diam.	198 - Lever	Crimp lid	lid a	nd ring&l Ring&latch lid	UN	Hole for plastic closure diam 56,9 mm DIN	UN
A	В	C	D							-
	141	2500	3900	x	x	X	x	X	x	X
	160	3000	4440	x	x	x	x	x	x	x
	180	4000	5010		x	x	x	x	x	X
198	184	4000	5040	x						
190	214	5000	5990	x	x	x	x	x	x	X
9	230	5000	6450	x	x	x	x	x	x	X
	250	6000	7020	x	x	x	x	x	x	X
	270	6500	7590	x	x		x		1000	

	Conico	al cans	diam. 2	240 - Crir	np li	id and ring	g⪭	ch lid	
• A	→ B	D A		Crimp lid	UN	Ring&latch lid	UN	Hole for plastic closure diam 56,9 mm DIN	UN
A	В	С	D						-
	212	7000	8000	x	x	x	x	x	x
	228	8000	9000	x	x	x	x	x	X
240	260	9000	10000	x	X	x	x	x	X
240	290	10000	11000	×	x	x	x	x	x
			10000		x	×	x	x	
	310	11000	12000	X	X	*	X	*	X



Conical cans Pails





	Co	onical can	s <mark>diam. 28</mark>	5 - Crimp lie	d and	d ring&latch li	d		
				Crimp lid	UN	Ring&latch lid	UN	Hole for plastic closure diam 56,9 mm DIN	UN
A	В	C	D				-		
	230	10000	13470	x	X	x	X	x	X
	240	11000	14080	x	X	x	X	x	X
	250	42500	44000						
		12500	14690	X	X	x	X	x	x
	320	12500	14690	x	x	x x	x x	x x	-
	320 370		-						x
285	the second se	17000	18930	x	x	x	x	x	x
285	370	17000 20000	18930 21970	x	x x	x x	x x	x x	x x x
285	370 380	17000 20000 21000	18930 21970 22570	x x x	X X X	x x x	x x x	x x x	X X X X
285	370 380 393	17000 20000 21000 22000	18930 21970 22570 23360	x x x x	x x x x	x x x x	x x x x	x x x x	X X X X X
285	370 380 393 404	17000 20000 21000 22000 23000	18930 21970 22570 23360 23790	x x x x x x	x x x x x x	x x x x x x	x x x x x x	x x x x x x	X X X X X X X

	Co	onical can	s diam. 29	2 - Crimp li	d and	d ring&latch li	id		
				Crimp lid	UN	Ring&latch lid	UN	Hole for plastic closure diam 56,9 mm DIN	UN
		-	-		1				_
A	B	C	D						
A	230	C 10000	D 13820	x	x	x	X	x	x
A				x x	x x	x x	x	x x	-
<u>A</u>	230	10000	13820		-		-		x
<u>A</u>	230 250	10000 12500	13820 15060	x	x	x	x	x	x x x x
	230 250 293	10000 12500 16000	13820 15060 17740	x x	x x	x x	x x	x x	x
A 292	230 250 293 310	10000 12500 16000 17000	13820 15060 17740 18800	x x x	x x x	x x x	x x x x	x x x	X X X X
	230 250 293 310 330	10000 12500 16000 17000 18000	13820 15060 17740 18800 20040	x x x x	x x x x	x x x x	X X X	x x x x	X X X X X X
	230 250 293 310 330 364	10000 12500 16000 17000 18000 20000	13820 15060 17740 18800 20040 21280	x x x x x	x x x x x	x x x x x x	X X X X X	x x x x x x	X X X X
	230 250 293 310 330 364 380	10000 12500 16000 17000 18000 20000 21000	13820 15060 17740 18800 20040 21280 22160	x x x x x x x	x x x x x x x	x x x x x x x	X X X X X X X	x x x x x x x	X X X X X X X





Via del Lavoro, 97 40033 Casalecchio di Reno - Bologna - Italy Tel. 0039 051 758001 - Fax 0039 051 6186780 E-Mail: info@giorgiofanti.it - www.giorgiofanti.it



I.C.M. SpA Industria Contenitori Metallici Via Solari 8 - 43022 Montechiarugolo (PR) - Italia Tel. 0039 0521 68851 - Fax 0039 0521 686504 E-Mail: info@icmbarattoli.it